



Perfecting the Air

RA	Non-Inverter Standard Deluxe Premium
----	---

FY22 PRICE LIST -- EFFECTIVE SEPTEMBER 1, 2022

ROOM AIR CONDITIONERS

"COOLING KING SERIES" PREMIUM WALL MOUNTED (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
0.8	FTNE20AXVL9	RNE20AGXVL9	23,800	Malaysia	220V/ 1 Phase/ 60 Hz (with wireless remote controller)		3.10
1.0	FTN25AXVL9	RN25AGXVL9	28,400				3.47
1.5	FTN35AXVL9	RN35AGXVL9	32,100				3.47
2.0	FTN50AXVL9	RN50AGXVL9	45,200				3.41
2.5	FTN60AXVL9	RN60AGXVL9	53,700				3.10
3.0	FTN71AXVL	RN71AGXVL	78,300				3.68

"D-SMART SERIES" WALL MOUNTED

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
0.8	FTKQ20TVM	RKQ20TVM	31,600	Thailand	230V/ 1 Phase/ 60 Hz (with wireless remote controller) Equipped with Daikin All-Voltage Guard		5.20
1.0	FTKQ25TVM	RKQ25TVM	35,600				5.16
1.5	FTKQ35TVM	RKQ35TVM	40,000				5.13
2.0	FTKQ50TVM	RKQ50TVM	52,200				4.50
2.5	FTKQ60TVM	RKQ60TVM	60,500				4.78

"D-SMART QUEEN SERIES" WALL MOUNTED

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
0.8	FTKC20TVM	RKC20TVM	33,700	Thailand	230V/ 1 Phase/ 60 Hz (with wireless remote controller) Equipped with Daikin All-Voltage Guard		5.93
1.0	FTKC25TVM	RKC25TVM	38,700				5.93
1.5	FTKC35TVM	RKC35TVM	43,400				5.86
2.0	FTKC50TVM	RKC50TVM	55,600				6.19
2.5	FTKC60TVM	RKC60TVM	64,600				5.87
3.0	FTKC71TVM	RKC71TVM	90,100				5.87

NEW "D-SMART KING SERIES" WALL MOUNTED

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
1.0	FTKZ25WVM	RKZ25WVM	56,800	Thailand	230V/ 1 Phase/ 60 Hz (with wireless remote controller) Equipped with built-in Wi-fi and Streamer Technology		7.24
1.5	FTKZ35WVM	RKZ35WVM	62,800				6.68
2.0	FTKZ50WVM	RKZ50WVM	80,300				6.69
2.5	FTKZ60WVM	RKZ60WVM	93,400				6.45
3.0	FTKZ71WVM	RKZ71WVM	125,800				5.98

66

SKY AIR CONDITIONERS
Non-Inverter

CASSETTE TYPE (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCRN50AXVL	RR50AGXVL	70,600	Malaysia	220V/ 1 Ph/ 60 Hz (with Deco Panel Model BC50F2XWA & wireless remote controller)	R-410A	3.22
2.5	FCRN60AXVL	RR60AGXVL	86,000				3.21
3.0	FCRN71AXVL	RR71AGXVL	96,000				2.92
4.0	FCRN100AXVL	RR100AGXVL	115,800				2.88
5.0	FCRN125AXVL9	RR125AGXTL9	120,200		220V/ 3Ph/ 60Hz (with Deco Panel Model BC50F2XWA & wireless remote controller)		2.88

CEILING CONCEALED DUCT TYPE (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FDMRN50AXVL	RR50AGXVL	71,700	Malaysia	220V/ 1 Ph/ 60 Hz (with wired remote controller)	R-410A	Out of Scope
2.5	FDMRN60AXVL	RR60AGXVL	87,200				
3.0	FDMRN71AXVL	RR71AGXVL	96,000				
4.0	FDMRN100AXVL	RR100AGXVL	114,700				
5.0	FDMRN125AXVL9	RR125AGXTL9	123,500		220V/ 3Ph/ 60Hz (with wired remote controller)		
6.0	FDMRN140AXVL9	RR140AGXTL9	145,500				

CEILING SUSPENDED (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FHRN100AXVL	RR100AGXVL	100,400	Malaysia	220V/ 1Ph/ 60 Hz (with wireless remote controller)	R-410A	2.79
6.0	FHRN140AXVL9	RR140AGXTL9	133,500		220V/ 3Ph/ 60Hz (with wireless remote controller)		2.79

FLOOR MOUNTED (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FVRN71AXVL	RR71AGXVL	77,200	Malaysia	220V/ 1Ph/ 60 Hz (with wireless remote controller)	R-410A	2.82
4.0	FVRN100AXVL	RR100AGXVL	94,800				2.88
5.0	FVRN125AXVL9	RR125AGXTL9	111,400		220V/ 3Ph/ 60Hz (with wireless remote controller)		2.88
6.0	FVRN140AXVL9	RR140AGXTL9	124,600				2.80

NO PRICE CHANGE
on SKY High-Efficiency

SKY AIR CONDITIONERS
High-Efficiency Inverter w/ Wired Remote Controller


CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (WHITE)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	100,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAF and "Navigation" wired remote controller Model BRC1E63)		7.30
2.5	FCF60CVM	RZF60CVM	126,000				7.00
3.0	FCF71CVM	RZF71CVM	142,000				6.40
4.0	FCF100CVM	RZF100CVM	175,000				6.45
5.0	FCF125CVM	RZF125CVM	194,000				5.70
6.0	FCF140CVM	RZF140CVM	208,000				5.40


CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (BLACK)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	105,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAK and "Navigation" wired remote controller Model BRC1E63)		7.30
2.5	FCF60CVM	RZF60CVM	131,000				7.00
3.0	FCF71CVM	RZF71CVM	147,000				6.40
4.0	FCF100CVM	RZF100CVM	180,000				6.45
5.0	FCF125CVM	RZF125CVM	199,000				5.70
6.0	FCF140CVM	RZF140CVM	213,000				5.40


CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (DESIGNER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	110,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAPF and "Navigation" wired remote controller Model BRC1E63)		7.30
2.5	FCF60CVM	RZF60CVM	136,000				7.00
3.0	FCF71CVM	RZF71CVM	152,000				6.40
4.0	FCF100CVM	RZF100CVM	185,000				6.45
5.0	FCF125CVM	RZF125CVM	204,000				5.70
6.0	FCF140CVM	RZF140CVM	218,000				5.40


CASSETTE TYPE W/ SENSING DECORATIVE PANEL (WHITE)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	103,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EEF and "Navigation" wired remote controller Model BRC1E63)		7.30
2.5	FCF60CVM	RZF60CVM	129,000				7.00
3.0	FCF71CVM	RZF71CVM	145,000				6.40
4.0	FCF100CVM	RZF100CVM	178,000				6.45
5.0	FCF125CVM	RZF125CVM	197,000				5.70
6.0	FCF140CVM	RZF140CVM	211,000				5.40

CASSETTE TYPE W/ SENSING DECORATIVE PANEL (BLACK)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	109,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EEK and "Navigation" wired remote controller Model BRC1E63)		7.30
2.5	FCF60CVM	RZF60CVM	135,000				7.00
3.0	FCF71CVM	RZF71CVM	151,000				6.40
4.0	FCF100CVM	RZF100CVM	184,000				6.45
5.0	FCF125CVM	RZF125CVM	203,000				5.70
6.0	FCF140CVM	RZF140CVM	217,000				5.40

380V/3P CASSETTE TYPE W/ STD. DECO PANEL (WHITE)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FCF100CVM	RZF100CYM	184,000	Thailand	380V/ 3Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAF and "Navigation" wired remote controller Model BRC1E63)		Out of Scope
5.0	FCF125CVM	RZF125CYM	202,000				
6.0	FCF140CVM	RZF140CYM	219,000				


NO PRICE CHANGE
on SKY High-Efficiency

SKY AIR CONDITIONERS
High-Efficiency Inverter w/ Wired Remote Controller


380V/3P CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (BLACK)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FCF100CVM	RZF100CYM	189,000	Thailand	380V/ 3Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAK and "Navigation" wired remote controller Model BRC1E63)		Out of Scope
5.0	FCF125CVM	RZF125CYM	207,000				
6.0	FCF140CVM	RZF140CYM	224,000				


380V/3P CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (DESIGNER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FCF100CVM	RZF100CYM	194,000	Thailand	380V/ 3Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAPF and "Navigation" wired remote controller Model BRC1E63)		Out of Scope
5.0	FCF125CVM	RZF125CYM	212,000				
6.0	FCF140CVM	RZF140CYM	229,000				

CEILING CONCEALED DUCTED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FBA50BVMA	RZF50CVM	100,000	Thailand	230V/ 1 Ph/ 60 Hz (with "Navigation" wired remote controller Model BRC1E63, *filter not included)		Out of Scope
2.5	FBA60BVMA	RZF60CVM	121,000				
3.0	FBA71BVMA	RZF71CVM	140,000				
4.0	FBA100BVMA	RZF100CVM	172,000				
5.0	FBA125BVMA	RZF125CVM	191,000				
6.0	FBA140BVMA	RZF140CVM	204,000				

380V/3P CEILING CONCEALED DUCTED TYPE


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FBA100BVMA	RZF100CYM	181,000	Thailand	380V/ 3 Ph/ 60 Hz (with "Navigation" wired remote controller Model BRC1E63, *filter not included)		Out of Scope
5.0	FBA125BVMA	RZF125CYM	199,000				
6.0	FBA140BVMA	RZF140CYM	215,000				

(8)6

NO PRICE CHANGE
on SKY High-Efficiency

SKY AIR CONDITIONERS
High-Efficiency Inverter w/ Wired Remote Controller


CEILING SUSPENDED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FHA50BVMA	RZF50CVM	104,000	Thailand	230V/ 1 Ph/ 60 Hz (with "Navigation" wired remote controller Model BRC1E63)		6.55
2.5	FHA60BVMA	RZF60CVM	129,000				6.05
3.0	FHA71BVMA	RZF71CVM	146,000				6.20
4.0	FHA100BVMA	RZF100CVM	181,000				6.10
5.0	FHA125BVMA	RZF125CVM	201,000				5.45
6.0	FHA140BVMA	RZF140CVM	215,000				5.15


380V/3P CEILING SUSPENDED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FHA100BVMA	RZF100CYM	190,000	Thailand	380V/ 3Ph/ 60 Hz (with "Navigation" wired remote controller Model BRC1E63)		Out of Scope
5.0	FHA125BVMA	RZF125CYM	209,000				
6.0	FHA140BVMA	RZF140CYM	226,000				

WALL MOUNTED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FAA71BVMA	RZF71CVM	119,000	Thailand	230V/ 1 Ph/ 60 Hz (with "Navigation" wired remote controller Model BRC1E63)		5.90
4.0	FAA100BVMA	RZF100CVM	145,000				5.25


380V/3P WALL MOUNTED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FAA71BVMA	RZF71CYM	130,000	Thailand	380V/ 3Ph/ 60 Hz (with "Navigation" wired remote controller Model BRC1E63)		Out of Scope
4.0	FAA100BVMA	RZF100CYM	154,000				

NO PRICE CHANGE
on SKY High-Efficiency

SKY AIR CONDITIONERS
High-Efficiency Inverter w/ Wireless Remote Controller


CASSETTE TYPE W/ STANDARD DECORATIVE PANEL & WIRELESS REMOTE (WHITE)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	105,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAF and "Navigation" wireless remote controller Model BRC7M635F)		7.30
2.5	FCF60CVM	RZF60CVM	131,000				7.00
3.0	FCF71CVM	RZF71CVM	147,000				6.40
4.0	FCF100CVM	RZF100CVM	180,000				6.45
5.0	FCF125CVM	RZF125CVM	199,000				5.70
6.0	FCF140CVM	RZF140CVM	213,000				5.40


CASSETTE TYPE W/ STANDARD DECORATIVE PANEL & WIRELESS REMOTE (BLACK)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	110,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAK and "Navigation" wireless remote controller Model BRC7M635K)		7.30
2.5	FCF60CVM	RZF60CVM	136,000				7.00
3.0	FCF71CVM	RZF71CVM	152,000				6.40
4.0	FCF100CVM	RZF100CVM	185,000				6.45
5.0	FCF125CVM	RZF125CVM	204,000				5.70
6.0	FCF140CVM	RZF140CVM	218,000				5.40


CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (DESIGNER) & WIRELESS REMOTE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	115,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAPF and "Navigation" wireless remote controller Model BRC7M635F)		7.30
2.5	FCF60CVM	RZF60CVM	141,000				7.00
3.0	FCF71CVM	RZF71CVM	157,000				6.40
4.0	FCF100CVM	RZF100CVM	190,000				6.45
5.0	FCF125CVM	RZF125CVM	209,000				5.70
6.0	FCF140CVM	RZF140CVM	223,000				5.40


CASSETTE TYPE W/ SENSING DECORATIVE PANEL (WHITE) & WIRELESS REMOTE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	108,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EEF and "Navigation" wireless remote controller Model BRC7M635F)		7.30
2.5	FCF60CVM	RZF60CVM	134,000				7.00
3.0	FCF71CVM	RZF71CVM	150,000				6.40
4.0	FCF100CVM	RZF100CVM	183,000				6.45
5.0	FCF125CVM	RZF125CVM	202,000				5.70
6.0	FCF140CVM	RZF140CVM	216,000				5.40

CASSETTE TYPE W/ SENSING DECORATIVE PANEL (BLACK) & WIRELESS REMOTE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FCF50CVM	RZF50CVM	114,000	Thailand	230V/ 1 Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EEK and "Navigation" wireless remote controller Model BRC7M635K)		7.30
2.5	FCF60CVM	RZF60CVM	140,000				7.00
3.0	FCF71CVM	RZF71CVM	156,000				6.40
4.0	FCF100CVM	RZF100CVM	189,000				6.45
5.0	FCF125CVM	RZF125CVM	208,000				5.70
6.0	FCF140CVM	RZF140CVM	222,000				5.40

380V/3P CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (WHITE)


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FCF100CVM	RZF100CYM	189,000	Thailand	380V/ 3Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAF and "Navigation" wireless remote controller Model BRC7M635F)		Out of Scope
5.0	FCF125CVM	RZF125CYM	207,000				
6.0	FCF140CVM	RZF140CYM	224,000				




NO PRICE CHANGE
on SKY High-Efficiency

SKY AIR CONDITIONERS
High-Efficiency Inverter w/ Wireless Remote Controller


380V/3P CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (BLACK)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FCF100CVM	RZF100CYM	194,000	Thailand	380V/ 3Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAK and "Navigation" wireless remote controller Model BRC7M635K)		Out of Scope
5.0	FCF125CVM	RZF125CYM	212,000				
6.0	FCF140CVM	RZF140CYM	229,000				


380V/3P CASSETTE TYPE W/ STANDARD DECORATIVE PANEL (DESIGNER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FCF100CVM	RZF100CYM	198,000	Thailand	380V/ 3Ph/ 60 Hz (with standard Deco Panel Model BYCQ125EAPF and "Navigation" wireless remote controller Model BRC7M635F)		Out of Scope
5.0	FCF125CVM	RZF125CYM	216,000				
6.0	FCF140CVM	RZF140CYM	233,000				

CEILING CONCEALED DUCTED TYPE W/ WIRELESS REMOTE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FBA50BVMA	RZF50CVM	105,000	Thailand	230V/ 1 Ph/ 60 Hz (with "Navigation" wireless remote controller Model BRC4C66, *filter not included)		Out of Scope
2.5	FBA60BVMA	RZF60CVM	126,000				
3.0	FBA71BVMA	RZF71CVM	144,000				
4.0	FBA100BVMA	RZF100CVM	176,000				
5.0	FBA125BVMA	RZF125CVM	195,000				
6.0	FBA140BVMA	RZF140CVM	208,000				

380V/3P CEILING CONCEALED DUCTED TYPE


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FBA100BVMA	RZF100CYM	185,000	Thailand	380V/ 3 Ph/ 60 Hz (with "Navigation" wireless remote controller Model BRC4C66, *filter not included)		Out of Scope
5.0	FBA125BVMA	RZF125CYM	204,000				
6.0	FBA140BVMA	RZF140CYM	219,000				




NO PRICE CHANGE
on SKY High-Efficiency

SKY AIR CONDITIONERS
High-Efficiency Inverter w/ Wireless Remote Controller


CEILING SUSPENDED TYPE W/ WIRELESS REMOTE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
2.0	FHA50BVMA	RZF50CVM	109,000	Thailand	230V/ 1 Ph/ 60 Hz (with "Navigation" wireless remote controller Model BRC7M56)		6.55
2.5	FHA60BVMA	RZF60CVM	133,000				6.05
3.0	FHA71BVMA	RZF71CVM	150,000				6.20
4.0	FHA100BVMA	RZF100CVM	186,000				6.10
5.0	FHA125BVMA	RZF125CVM	205,000				5.45
6.0	FHA140BVMA	RZF140CVM	219,000				5.15

380V/3P CEILING SUSPENDED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
4.0	FHA100BVMA	RZF100CYM	194,000	Thailand	380V/ 3 Ph/ 60 Hz (with wireless remote controller Model BRC7M56)		Out of Scope
5.0	FHA125BVMA	RZF125CYM	213,000				
6.0	FHA140BVMA	RZF140CYM	230,000				

WALL MOUNTED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FAA71BVMA	RZF71CVM	123,000	Thailand	230V/ 1 Ph/ 60 Hz (with "Navigation" wireless remote controller Model BRC7EB519)		5.90
4.0	FAA100BVMA	RZF100CVM	150,000				5.25


380V/3P WALL MOUNTED TYPE

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FAA71BVMA	RZF71CYM	134,000	Thailand	380V/ 3Ph/ 60 Hz (with "Navigation" wireless remote controller Model BRC7EB519)		Out of Scope
4.0	FAA100BVMA	RZF100CYM	159,000				



SKY AIR CONDITIONERS
Standard Inverter w/ Wired Remote Controller

CEILING CONCEALED DUCTED (INVERTER)


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FBFC71DVM	RZFC71AVM	118,000	Thailand	220-240/220-230V/ 1Ph/ 50/60 Hz (with wired remote controller, model: BRC2E61)		Out of Scope
4.0	FBFC100DVM	RZFC100AVM	146,700				
6.0	FBFC140DVM	RZFC140AVM	184,200				

CEILING SUSPENDED (INVERTER)


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FHFC71AVM	RZFC71AVM	123,500	Thailand	220-240/220-230V/ 1Ph/ 50/60 Hz (with wired remote controller, model: BRC2E61)		5.64
4.0	FHFC100AVM	RZFC100AVM	153,300				4.09
6.0	FHFC140AVM	RZFC140AVM	193,000				4.78

SKY AIR CONDITIONERS
Standard Inverter w/ Wireless Remote Controller


CEILING CASSETTE TYPE (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FCFC71AXVL	RZFC71AVM	116,900	Malaysia (IDU) / Thailand (ODU)	220V/ 1Ph/ 60 Hz (with wireless remote controller, model: BRC52A62)		5.23
4.0	FCFC100AXVL	RZFC100AVM	147,700				4.32
6.0	FCFC140AXVL	RZFC140AVM	186,400				4.44

CEILING CONCEALED DUCTED (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FBFC71DVM	RZFC71AVM	122,200	Thailand	220-240/220-230V/ 1Ph/ 50/60 Hz (with wireless remote controller, model: BRC4C66)		Out of Scope
4.0	FBFC100DVM	RZFC100AVM	150,900				
6.0	FBFC140DVM	RZFC140AVM	188,400				

CEILING SUSPENDED (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FHFC71AVM	RZFC71AVM	127,700	Thailand	220-240/220-230V/1Ph/50/60Hz (with wireless remote controller, model: BRC7GA56 (*BRC7EA66-9 for FHFC71AVM))		5.64
4.0	FHFC100AVM	RZFC100AVM	157,500				4.09
6.0	FHFC140AVM	RZFC140AVM	197,200				4.78

FLOOR MOUNTED (INVERTER)


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FVFC71AXVL	RZFC71AVM	116,800	Malaysia (IDU) Thailand (ODU)	220V/ 1Ph/ 60 Hz (with wireless remote controller, model: BRC52A62)		4.27
4.0	FVFC100AXVL	RZFC100AVM	150,400				4.12
6.0	FVFC140AXVL	RZFC140AVM	188,200				4.40




DPH FY22 PRICE LIST -- EFFECTIVE SEPTEMBER 1, 2022 -- new IDU/ODU models from Malaysia

SKY AIR CONDITIONERS
Standard Inverter w/ Wired Remote Controller

CEILING CONCEALED DUCTED (INVERTER)


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FBFC71AXVA	RZFC71AXVM	118,000	Malaysia	220-240/220-230V/ 1Ph/ 50/60 Hz (with wired remote controller, model: BRC51A62)		Out of Scope
4.0	FBFC100AXVA	RZFC100AXVM	146,700				
6.0	FBFC140AXVA	RZFC140AXVM	184,200				

CEILING SUSPENDED (INVERTER)


CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FHFC71AVM	RZFC71AXVM	123,500	Thailand (IDU)/ Malaysia (ODU)	220-240/220-230V/ 1Ph/ 50/60 Hz (with wired remote controller, model: BRC2E61)		5.64
4.0	FHFC100AVM	RZFC100AXVM	153,300				4.09
6.0	FHFC140AVM	RZFC140AXVM	193,000				4.78

SKY AIR CONDITIONERS
Standard Inverter w/ Wireless Remote Controller


CEILING CASSETTE TYPE (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FCFC71AXVA	RZFC71AXVM	116,900	Malaysia	220V/ 1Ph/ 60 Hz (with wireless remote controller, model: BRC52A62)		5.23
4.0	FCFC100AXVA	RZFC100AXVM	147,700				4.32
6.0	FCFC140AXVA	RZFC140AXVM	186,400				4.44


CEILING CONCEALED DUCTED (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FBFC71AXVA	RZFC71AXVM	122,200	Malaysia	220-240/220-230V/ 1Ph/ 50/60 Hz (with wireless remote controller, model: BRC52A62)		Out of Scope
4.0	FBFC100AXVA	RZFC100AXVM	150,900				
6.0	FBFC140AXVA	RZFC140AXVM	188,400				

CEILING SUSPENDED (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FHFC71AVM	RZFC71AXVM	127,700	Thailand (IDU)/ Malaysia (ODU)	220-240/220-230V/1Ph/50/60Hz (with wireless remote controller, model: BRC7GA56 (*BRC7EA66-9 for FHFC71AVM))		5.64
4.0	FHFC100AVM	RZFC100AXVM	157,500				4.09
6.0	FHFC140AVM	RZFC140AXVM	197,200				4.78

FLOOR MOUNTED (INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
3.0	FVFC71AXVA	RZFC71AXVM	116,800	Malaysia	220V/ 1Ph/ 60 Hz (with wireless remote controller, model: BRC52A62)		4.27
4.0	FVFC100AXVA	RZFC100AXVM	150,400				4.12
6.0	FVFC140AXVA	RZFC140AXVM	188,200				4.40

PACKAGE TYPE AIR CONDITIONERS

220V/3P DUCTED FD SERIES (NON-INVERTER)

CAPACITY, TR	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
	INDOOR UNIT	OUTDOOR UNIT				
6.1	FDN80HVL	RN80HTL9	191,100	Malaysia	220V/1 Ph/ 60Hz Indoor 220V/3 Ph/ 60 Hz Outdoor (with wired remote controllers)	R-410A
7.5	FDN100HVL	RCN100HTL9	254,100			
9.8	FDN125HTL	RCN125HTL9	302,400			
12.3	FDN150HTL	RCN150HTL9	388,500			
15.0	2FDN200HTL	RCN100HTL9 X 2	483,000			
19.7	2FGN250HTL	RCN125HTL9 X 2	554,400			
24.7	2FGN300HTL	RCN150HTL9 X 2	693,000			
	3FGN300HTL	RCN100HTL9 X 3	715,100			
27.2	3FGN350HTL	RCN125HTL9 X 2 + RCN100HTL9	750,700			
30.0	4FGN400HTL	RCN100HTL9 X 4	968,100			
37.0	3FGN450HTL	RCN150HTL9 X 3	1,057,400			
39.3	4FGN500HTL	RCN125HTL9 X 4	1,087,800			
50.0	4FGN600HTL	RCN150HTL9 X 4	1,416,400			

380V/3P DUCTED FD SERIES (NON-INVERTER)

CAPACITY, TR	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
	INDOOR UNIT	OUTDOOR UNIT				
6.7	FDN80HVL	RN80HYL9	194,300	Malaysia	220V/1 Ph/ 60Hz Indoor 380V/3 Ph/ 60 Hz Outdoor (with wired remote controllers)	R-410A
7.5	FDN100HVL	RCN100HYL9	261,400			
9.8	FDN125HYL	RCN125HYL9	309,800			
12.3	FDN150HYL	RCN150HYL9	395,800			
15.0	2FDN200HYL	RCN100HYL9 X 2	498,800			
19.7	2FGN250HYL	RCN125HYL9 X 2	564,900			
24.7	2FGN300HYL	RCN150HYL9 X 2	707,700			
24.7	3FGN300HYL	RCN100HYL9 X 3	729,700			
27.2	3FGN350HYL	RCN125HYL9 X 2 + RCN100HYL9	766,500			
30.0	4FGN400HYL	RCN100HYL9 X 4	988,100			
37.0	3FGN450HYL	RCN150HYL9 X 3	1,077,300			
39.3	4FGN500HYL	RCN125HYL9 X 4	1,109,900			
50.0	4FGN600HYL	RCN150HYL9 X 4	1,453,200			

NO PRICE CHANGE
on PAC Non-Inverter

PACKAGE TYPE AIR CONDITIONERS

220V/3P LARGE FLOOR STANDING FREE BLOW UNIT (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
	INDOOR UNIT	OUTDOOR UNIT				
8.0	FVGR8PVL	RN80HTL9	226,000	Malaysia	220V/1 Ph/ 60Hz Indoor 220V/3 Ph/ 60 Hz Outdoor	R-410A
10.0	FVGR10PVL	RCN100HTL9	299,000			
12.5	FVGR13PVL	RCN125HTL9	315,000			
15.0	FVGR15PVL	RCN150HTL9	403,000			


380V/3P LARGE FLOOR STANDING FREE BLOW UNIT (NON-INVERTER)

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
	INDOOR UNIT	OUTDOOR UNIT				
8.0	FVGR8PVL	RN80HYL9	229,000	Malaysia	220V/1 Ph/ 60Hz Indoor 380V/3 Ph/ 60 Hz Outdoor	R-410A
10.0	FVGR10PVL	RCN100HYL9	307,000			
12.5	FVGR13PVL	RCN125HYL9	320,000			
15.0	FVGR15PVL	RCN150HYL9	408,000			

M/S Inverter
ACC Controller
APU Air Purifiers
Repl. filters

MULTI-SPLIT AIR CONDITIONERS (INVERTER)


OUTDOOR UNITS

CAPACITY, HP	MODEL NAME	SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
2.5	MKM65PVM	77,200	Thailand	230V/1 Ph/ 60 Hz Connectable up to 4 Indoor Units	
3.0	MKM80PVM	88,200			
3.5	MKM95PVM	107,000			
4.0	MKM105PVM	145,500		230V/1 Ph/ 60 Hz Connectable up to 5 Indoor Units	

INDOOR UNITS (WALL MOUNTED)

CAPACITY, HP	MODEL NAME	SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
1.0	FTKM25PVM	17,600	Thailand	230V/ 1 Phase/ 60 Hz (with wireless remote controller Model ARC466A19)	
1.5	FTKM35PVM	18,800			
1.7	FTKM42PVM	21,000			
2.0	FTKM50PVM	23,200		230V/ 1 Phase/ 60 Hz (with wireless remote controller Model ARC466A14)	
2.5	FTKM60PVM	27,600			
3.0	FTKM71PVM	32,000			

INDOOR UNITS (CONCEALED DUCTED) WIDTH 900 and 1000mm

CAPACITY, HP	MODEL NAME	SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT
1.0	CDKM25PVM	24,300	Thailand	230V/ 1 Phase/ 60 Hz (with wireless remote controller Model ARC433B76)	
1.5	CDKM35PVM	26,500			
2.0	CDKM50PVM	28,700			
2.5	CDKM60PVM	34,200			

DAIKIN MOBILE CONTROLLER

MODEL NAME	SRP (PHP)	ORIGIN	FEATURES
BRP072C42	5,700	Thailand	Optional Accessories to control RA Inverter lineup via Smartphones. Additional adaptor needed depending on model, pls. check with DPH SE.

AIR PURIFIER

CAPACITY, SQ. M	MODEL NAME	SRP (PHP)	ORIGIN	FEATURES
21.0	MC30VVM-H	13,500	Korea	230V/ 1Ph/60Hz with Dust collection filter (model: BAFP001AE), Deodorising filter (model: BADP001AE)
21.0	MC30YVM7	15,200	Malaysia	230V/ 1Ph/60Hz with Streamer, Haze Mode and Dust collection filter (model: BAFP500A)
31.0	MC40UVM6-7	20,800	Malaysia	230V/ 1Ph/60Hz with Streamer and Dust collection filter (model: KAFP080B4E)
41.0	MC55UVM6-7	25,400	Malaysia	230V/ 1Ph/60Hz with Streamer and wireless remote controller and Dust collection filter (model: KAFP080B4E)
41.0	MCK55TVM6	29,800	China	230V/ 1Ph/60Hz Humidifying Type with Streamer and wireless RC; with Dust collection filter (model: KAFP080B4E) and Humidifying filter (model: KNME080A4E)

REPLACEMENT FILTERS

MODEL NAME	DESCRIPTION	SRP (PHP)	ORIGIN	FEATURES
BAFP001AE	Dust collection filter for MC30VVM-H	1,400	Japan	Electrostatic HEPA filter, good for 2 years use
BAFP500A	Dust collection filter for MC30YVM7	6,800	Japan	Electrostatic HEPA filter, good for 10 years use
BADP001AE	Deodorising filter for MC30VVM-H	2,200	Japan	each pack of 4pcs. good for 1 year use
KAFP080B4E	Dust collection filter for MC40UVM6, MC55UVM6, MCK55TVM6	6,100	Japan	Electrostatic HEPA filter, good for 10 years use
KNME080A4E	Humidifying filter for MCK55TVM6	3,600	Japan	double-layer filter for humidification, good for 10 years use



IKUO KANI

TAKAYOSHI MIKI



RA Standard

Perfecting the Air

FY22 PRICE LIST -- EFFECTIVE September 1, 2022 -- Only Applicable to Project Order

ROOM AIR CONDITIONERS

"D-SMART LITE SERIES" WALL MOUNTED

CAPACITY, HP	MODEL NAME		SRP (PHP)	ORIGIN	FEATURES	REFRIGERANT	CSPF
	INDOOR UNIT	OUTDOOR UNIT					
0.8	FTKF20BVL	RKF20BVL	30,500	Malaysia	230V/ 1 Phase/ 60 Hz (with wireless remote controller) Equipped with Daikin All-Voltage Guard		4.60
1.0	FTKF25BVL	RKF25BVL	35,800				4.60
1.5	FTKF35BVL	RKF35BVL	41,000				5.22
2.0	FTKF50BVL	RKF50BVL	52,500				5.02
2.5	FTKF60BVL	RKF60BVL	62,000				6.00

IKUO KANI
VICE-PRESIDENT

TAKAYOSHI MIKI
PRESIDENT